



TOUCH PANELS



MVP-5200i



MVP-8400i



NXD-CV5



NXD-700Vi



NXD-1000Vi



NXD-1200VG



NXD-1500VG



NXD-1700VG

## SIMPLE.

Simplicity is paramount in the design of every AMX Touch Panel. With powerful programming options and an ultra user-friendly interface, complex sequences of commands can be transformed into magical results, literally with one touch. What was complex is now easier to understand. What was difficult to accomplish is now effortless to attain.

## FUNCTIONAL.

AMX Touch Panels provide an intuitive yet stylish interface for controlling the electronics that make residential life relaxing and commercial operations run more efficiently. Whether controlling a home environment, 500 presentation rooms or classrooms across a campus, AMX Touch Panels can be custom-programmed using a combination of buttons, icons and windows to operate and automate any number of functions for a multitude of users.

## VERSATILE.

There is an AMX Touch Panel perfect for any environment or application. From the 5" tiny wonder to the 17" flagship widescreen, AMX Touch Panels ensure a diverse selection of form, function and mounting options to suit any need.

# WHAT IS AN AMX CONTROL SYSTEM?

AMX Control Systems are the definition of forward-thinking design, conveying the prestige, confidence and image that you deserve. Empower your home or business with convenience and luxury.

**AMX CONTROL SYSTEMS PUT YOU AT THE CENTER OF ATTENTION, IN CONTROL, AT ALL TIMES.**

### COMMAND.


Control system operations begin with the user interface, AMX Touch Panels and Keypads, which use a combination of touch-activated buttons and icons to easily and effortlessly navigate the system and carry out any required command. Whether you need to lower the blinds or launch a fleet of jets, these interfaces are simple to operate, but smart enough to group the hundreds of required steps to deliver instantaneous, automated directions – all with the slightest touch.

### CONTROL.

From controlling one component to managing 1000 devices, no job is too large or too small for AMX NetLinX Integrated Controllers, the nerve centers of every control system. With smart processors and powerful memory reserves, these controllers can carry out multiple automated command sequences to produce instant, flawless results from the devices they control.

### COMMUNICATE.

The AMX Control System was designed to communicate with the electronic devices that populate our entire world. From CD changers, plasma screens and jacuzzi jets, to cameras, projectors and communication satellites, AMX is ready to command, control and communicate with life around us – easily, accurately and efficiently.



# WHERE WILL YOU FIND AMX TOUCH PANELS?

AMX Touch Panels simplify the way people interact with technology. That is why you will find our Touch Panels in many different market applications worldwide, including – conference rooms, homes and luxury condos, classrooms, network operation centers, hotels, entertainment venues, broadcast facilities, operating rooms, among many others.

If you are looking to solve the complexity of managing different technologies and operating platforms, AMX Touch Panels are an open canvas for which your own customized solution can be achieved.

- 001. **NETWORK OPERATIONS CENTER**  
Aetna Computer Network Command Center
- 002. **HIGH RISE PROPERTIES**  
Private Residence – London, England
- 003. **HEALTHCARE**  
London Chest Hospital – London, England
- 004. **BROADCASTING**  
20th Century Fox – Los Angeles, CA



005. **EDUCATION**  
Holy Family University –  
Philadelphia, PA

006. **PRIVATE  
TRANSPORTATION**  
Blue Moon Yacht –  
Chicago, IL

007. **BUSINESS**  
Telstra –  
Melbourne, Australia

008. **GOVERNMENT**  
Pasadena City Hall –  
Pasadena, CA

009. **RETAIL**  
Dickson CyberExpress –  
Hong Kong, China

010. **HOME THEATER**  
Private Residence –  
Bloomfield Hills, MI

011. **HOUSES OF WORSHIP**  
Mobberly Baptist Church –  
Longview, TX

012. **WHOLE HOME**  
Private Residence –  
Woodside, CA

013. **HOTELS**  
W Hotel, Times Square –  
New York, NY

014. **ENTERTAINMENT**  
Lucky Strike Lanes –  
Orange, CA



## 5.2" MODERO® VIEWPOINT®

Sleek. Sexy. Powerful. No other words come to mind so quickly when describing the small, yet powerful 5.2" Modero ViewPoint (MVP-5200i). Whether you need to instantly light every inch of a 20,000 square foot estate, turn down the A/C throughout a corporate campus, or simply shuffle through your favorite MP3s, the MVP-5200i rises to the occasion - discreetly from the palm of your hand.

### DESIGN FEATURES

- Ultra-light, compact and thin form factor
- Available in your color choice of gloss black or gloss white
- Includes bright, crisp 5.2" widescreen display (16x9) and 800x480 pixel resolution
- Navigation wheel provides simple (up/down) or sophisticated control (up/down,right/left, select)
- Enhanced usability with microphone and speakers
- Faster processing and uses less energy

### COMMUNICATION AND SECURITY

- Wireless mobility utilizing 802.11b/g wireless standard
- Digital intercom for easy, two-way communications, one-way monitoring, broadcast messaging and privacy mode
- Offers exceptional battery life with eight hours of continuous operation and four days of standby use
- Offers high network security standards to protect your information, including: WEP, WPA, WPA2, EAP-TLS, EAP-TTLS, PEAP

### AUDIO/VIDEO CAPABILITIES

- Integrates AMX G4 Graphics Engine
- Enables multiple JPEG and PNG images to be displayed
- Supports streaming motion-JPEG video used by many IP and web cams
- Plays MP3 and WAV audio files

### VERSATILE PLACEMENT OPTIONS

- Place on a table with integrated kickstand
- Place on a table and charge at the same time with optional charging station
- Mount to the wall and remove with optional wall charging station





MVP-5200i Integrated Kickstand  
(Gloss Black)



MVP-5200i Table Charging Station  
(Gloss White)



MVP-5200i Wall Charging Station  
(Gloss Black)

5.2" MODERO VIEWPOINT WIDESCREEN

## 8.4" MODERO VIEWPOINT

A wide variety of features and applications are what make the 8.4" Modero ViewPoint a clear favorite for residential or commercial control and automation. The MVP-8400/8400i is ideal for automating every square inch of a home, simplifying A/V and lighting control in churches, and commanding operations in hurricane warning centers, among many other applications.

### DESIGN FEATURES

- Offers ample for controlling everything from the simple to the complex
- Includes 8.4" screen size (4x3) and bright, crisp graphics (800x600 pixel resolution)
- Integrated speaker and microphone enhance usability
- Includes nine external buttons to program and control various functions on the panel
- Docking station accessory provides ability to:
  - o Re-charge internal batteries and spare batteries
  - o Adjust panel for the optimum viewing angle
  - o Attach a keyboard / mouse using the docking station's USB ports
- Two rechargeable battery packs offer up to eight hours of normal operation

### COMMUNICATION AND SECURITY

- Wireless mobility utilizing 802.11g wireless standard
- MVP-8400i: Features digital intercom for easy, two-way communications, one-way monitoring, broadcast messaging and privacy mode
- Offers high network security standards to protect your information, including: WEP, WPA, WPA2, EAP-TLS, EAP-TTLS, PEAP, LEAP, FAST

### AUDIO/VIDEO CAPABILITIES

- Integrates AMX G4 Graphics Engine
- Enables multiple JPEG and PNG images to be displayed
- Supports streaming motion-JPEG video used by many IP and web cams
- Plays MP3 and WAV audio files

### VERSATILE PLACEMENT OPTIONS

- Place on a table with optional kickstand
- Place on a table with optional docking station
- Mount to the wall and remove with optional wall docking station





MVP-8400i Kickstand



MVP-8400i Table Top Docking Station



MVP-8400i Wall/Flush Mount Docking Station

8.4" MODERO VIEWPOINT

# 5" MODERO WIDESCREEEN

The 5" Modero Widescreen offers more than any touch panel of its size can – audio/video-ready capabilities, a 16x9 widescreen display and an ultra-slim wall/flush mount bezel – all packaged into a discreet form factor. But its small size can be deceiving. With the power to instantly warm up the spa, light the landscape and begin a DVD on the pool side projection screen, dinner and a movie just took on a whole new meaning. The 5" Modero Widescreen is also just the right size to mount in classroom entryways for control of lighting, climate and A/V devices.

## DESIGN FEATURES


- Small size for discreet placement in commercial/education facilities and homes
- Motion sensor "awakens" the display automatically when approached and light sensor instantly adjusts display brightness to the appropriate level for any room
- Integrated speaker and microphone enhance usability
- Includes six external buttons to program and control various functions on the panel

## AUDIO/VIDEO CAPABILITIES

- Includes 5" widescreen display (16x9) with bright, high-quality graphics (800x480 pixel resolution)
- Integrates AMX G4 Graphics Engine
- Enables multiple JPEG and PNG images to be displayed
- Offers streaming motion-JPEG video used by many IP and web cams
- Plays MP3 and WAV audio files
- Optional breakout box available for delivering analog audio and composite video

## VERSATILE PLACEMENT OPTIONS

- Available in wall/flush mount version
- Ultra-slim wall/flush mount bezel is available in six colors to blend into any environment: black, white, beige, light almond, metallic gold or metallic silver





5" Modero Wall/Flush Mount  
(External Buttons)



Optional Bezels: black, white, beige, light almond,  
metallic silver, metallic gold

5" WIDESCREEN

# 7" MODERO WIDESCREEN

A wide range of placement locations and literally hundreds of applications are what make the 7" Modero Widescreen (NXD-700Vi and NXT-CV7) an overwhelmingly popular touch panel choice. The widescreen user interface allows you to navigate on-screen functions, watch a video window and control audio/video equipment all at once. It is an ideal choice for supporting a multitude of residential and commercial needs.

## DESIGN FEATURES

- Features a 7" widescreen display (16x9) and bright, high-quality graphics (800x480 pixel resolution)
- Integrated speaker, microphone and headphone connection enhance usability
- Motion sensor "awakens" the display automatically when approached and light sensor instantly adjusts display brightness to the appropriate level for any room
- Includes two external buttons to program and control various functions on the panel

## COMMUNICATION AND SECURITY

- NXD-700Vi: Features digital intercom for easy, two-way communications, one-way monitoring, broadcast messaging and privacy mode
- Provides 802.11g wireless mobility (with optional CompactFlash card)
- Offers high network security standards, including: WEP, WPA, WPA2, EAP-TLS, EAP-TTLS, PEAP, LEAP, FAST (with optional CompactFlash card)

## AUDIO/VIDEO CAPABILITIES

- Integrates AMX G4 Graphics Engine
- Enables multiple JPEG and PNG images to be displayed
- Offers streaming motion-JPEG video used by many IP and web cams
- Plays MP3 and WAV audio files
- Supports analog audio and composite video sources

## VERSATILE PLACEMENT OPTIONS

- NXT-CV7: Place on a table (optional battery base available for wire-free placement)
- NXD-700Vi: Mount to the wall or in a podium





7" Modero Table Top  
(No External Buttons)



7" Modero Table Top  
(No External Buttons)



7" Modero Wall/Flush Mount  
w/Intercom  
(External Buttons)

7" WIDESCREEN

# 10" MODERO WIDESCREEN

From boardrooms and home theaters to traffic and trauma centers, the 10" Modero Widescreen (NXD-1000Vi, NXT-CV10/PB) combines just the right mix of features including ample screen size, integrated digital intercom and playback of 16x9 DVD quality video. And with features like optional wire-free table placement and integrated motion and light sensors, the 10" Modero Widescreen blends convenience and luxury to support the most diverse and demanding of applications.

## DESIGN FEATURES

- Offers 10" widescreen display (16x9) with bright, high-quality graphics (800x480 pixel resolution)
- Integrated speaker, microphone and headphone connection enhance usability
- Motion sensor "awakens" the display automatically when approached and light sensor instantly adjusts display brightness to the appropriate level for any room
- NXT-CV10/PB: Includes six external buttons to program and control various functions on the panel

## COMMUNICATION AND SECURITY

- NXD-1000Vi: Digital intercom for easy, two-way communications, one-way monitoring, broadcast messaging and privacy mode
- Provides 802.11g wireless mobility (with optional CompactFlash card)
- Offers high network security standards, including: WEP, WPA, WPA2, EAP-TLS, EAP-TTLS, PEAP, LEAP, FAST (with optional CompactFlash card)

## AUDIO/VIDEO CAPABILITIES

- Integrates AMX G4 Graphics Engine
- Enables multiple JPEG and PNG images to be displayed
- Supports streaming motion-JPEG video used by many IP and web cams
- Plays MP3 and WAV audio files
- Supports analog audio and composite video sources

## VERSATILE PLACEMENT OPTIONS

- NXT-CV10/PB: Place on a table (optional battery base available for wire-free placement)
- NXD-1000Vi: Mount to the wall or in a podium





10" Modero Table Top Touch Panel



10" Modero Table Top Touch Panel



10" Modero Wall/Flush Mount Touch Panel  
w/Intercom  
(External Buttons)

10" WIDESCREEN

# 12" MODERO STANDARD

Whether you need powerful video processing, ample on-screen real estate or versatile mounting options - the 12" Modero Standard (NXD/T-1200V/VG) fits the bill. The 12" Modero provides a user-friendly format for integrating and automating audio, video, security cameras and on-screen dynamic images. The user interface reveals crisp, clear pictures and sound, and state-of-the-art graphics.

## DESIGN FEATURES

- Offers 12" standard screen display (4x3) with bright, high-quality graphics (800x600 pixel resolution)
- Integrated speaker, microphone and headphone connection enhance usability
- Motion sensor "awakens" the display automatically when approached and light sensor instantly adjusts display brightness to the appropriate level for any room

## COMMUNICATION AND SECURITY


- Provides 802.11g wireless mobility (with optional mini-PCI card)
- Network security standards include: WEP 64, WEP 128 (with optional mini-PCI card)

## AUDIO/VIDEO CAPABILITIES

- Enables multiple JPEG and PNG images to be displayed
- Supports streaming motion-JPEG video used by many IP and web cams
- Plays MP3 and WAV audio files
- Supports analog audio and composite video sources
- Displays high-quality MPEG2/MPEG4 Streaming Video from a digital device or PC
- NXT/D-1200VG RGB Kit: Accepts high-quality RGB/Component video signals

## VERSATILE PLACEMENT OPTIONS

- Place on a table (optional battery base available for wire-free placement)
  - o NXT-1200V
  - o NXT-1200VG Video Kit
  - o NXT-1200VG RGB Kit
- Mount to the wall
  - o NXD-1200V
  - o NXD-1200VG Video Kit
  - o NXD-1200VG RGB Kit





12" Modero Table Top Touch Panel



12" Modero Table Top Touch Panel



12" Modero Wall/Flush Mount Touch Panel

12" STANDARD

# 15" MODERO STANDARD

When first impressions make the difference, the 15" Modero Standard (NXD/T-1500VG) combines beauty and brains to meet even the most critical of display requirements in both commercial and residential applications. The 15" Modero Standard has the muscle to handle multiple video and audio streams in wired or wireless configurations – without ever missing a beat.

## DESIGN FEATURES

- Offers 15" standard screen display (4x3) with bright, high-quality graphics (1024x768 pixel resolution)
- Integrated speaker, microphone and headphone connection enhance usability
- Motion sensor "awakens" the display automatically when approached and light sensor instantly adjusts display brightness to the appropriate level for any room

## COMMUNICATION AND SECURITY


- Provides 802.11g wireless mobility (with optional mini-PCI card)
- Network security standards include: WEP 64, WEP 128 (with optional mini-PCI card)

## AUDIO/VIDEO CAPABILITIES

- Integrates AMX G4 Graphics Engine
- Enables multiple JPEG and PNG images to be displayed
- Supports streaming motion-JPEG video used by many IP and web cams
- Plays MP3 and WAV audio files
- Supports analog audio and composite video sources
- Displays high-quality MPEG2/MPEG4 Streaming Video from a digital device or PC
- NXT/D-1500VG RGB Kit: Accepts high-quality RGB/Component video signals

## VERSATILE PLACEMENT OPTIONS

- Place on a table (optional battery base available for wire-free placement)
  - NXT-1500VG Video Kit
  - NXT-1500VG RGB Kit
- Mount to the wall
  - NXD-1500VG Video Kit
  - NXD-1500VG RGB Kit





15" Modero Table Top Touch Panel



15" Modero Table Top Touch Panel



15" Modero Wall/Flush Mount Touch Panel

15" STANDARD

# 17" MODERO WIDESCREEEN

When it comes to screen size and capability, nothing compares to the largest touch panel display in the Modero family. While its crowning achievement is a full 17 inches of available touch screen real estate, it also supports several multimedia formats. Whether you need to monitor 40 networked security cameras at once, conduct a seven-country videoconference or simply watch a DVD from the spa, look no further than this giant among touch panels.

## DESIGN FEATURES

- Offers 17" widescreen display (16x9) with bright, high-quality graphics (1280x768 pixel resolution)
- Integrated speaker, microphone and headphone connection enhance usability
- Motion sensor "awakens" the display automatically when approached and light sensor instantly adjusts display brightness to the appropriate level for any room

## COMMUNICATION AND SECURITY


- Provides 802.11g wireless mobility (with optional mini-PCI card)
- Network security standards include: WEP 64, WEP 128 (with optional mini-PCI card)

## AUDIO/VIDEO CAPABILITIES

- Enables multiple JPEG and PNG images to be displayed
- Supports streaming motion-JPEG video used by many IP and web cams
- Plays MP3 and WAV audio files
- Supports analog audio and composite video sources
- Displays high-quality MPEG2/MPEG4 Streaming Video from a digital device or PC
- NXT/D-1700VG RBG Kit: Accepts high-quality RGB/Component video signals

## VERSATILE PLACEMENT OPTIONS

- Place on a table (optional battery base available for wire-free placement)
  - o NXT-1700VG Video Kit
  - o NXT-1700VG RGB Kit
- Mount to the wall
  - o NXD-1700VG Video Kit
  - o NXD-1700VG RGB Kit





17" Modero Table Top Touch Panel



17" Modero Table Top Touch Panel



17" Modero Wall/Flush Mount Touch Panel

17" WIDESCREEN

## POPULAR TOUCH PANEL ACCESSORIES



### **G4 Computer Control**

Experience the full functionality of any networked computer directly on the Touch Panel.



### **TakeNote™**

Demonstrate truly interactive presentations with this annotation application. Use your finger or a stylus to draw directly on the Modero screen.



### **Audio/Video Breakout Boxes**

Enables RGB/Component, Composite Video and Ethernet to be passed through the Modero.



### **Total Presentation Interface (TPI-PRO)**

Up to four video and RGB sources can be simultaneously controlled and delivered to any display, and annotated with TakeNote.



### **Conduit Box**

Allows the panel to be mounted directly to the studs/pre-wall (for 5", 7", 10", 12", 15", 17" Wall/Flush Mount Touch Panels).



### **Rack Mount Kit**

Allows the panel to be mounted directly on an equipment rack (for 5", 7", 10", 12", 15", 17" Wall/Flush Mount Touch Panels).



### **VESA Mounting Kit**

Enables installation of the 12", 15", and 17" Wall/Flush Mount Touch Panels on any VESA-compliant mount to include pivots, arms, poles, undercabinet mounts, etc.



### **802.11g Wireless**

CompactFlash card designed for all 7" and 10" Touch Panels; Mini-PCI card designed for all 12", 15", 17" Touch Panels.



### **Battery Pack**

Designed for all Table Top Touch Panels; equipped with an onboard battery status indicator and communicates its status to the Modero Touch Panel.



### **Battery Base Kit**

Seamlessly attaches to the base of the panel, enabling the panel to provide up to eight hours of normal operation (designed for 7", 10", 12", 15", 17" Table Top Touch Panels).



### **Modero Kensington Lock Kit**

Fasten to any Modero V and VG Series Table Top Touch Panel to prevent removal or theft.



### **Modero Power Supplies**

Available in a range of DC power levels for Modero Touch Panels and accessories.

AMX TOUCH PANELS COMPARISON CHART

|                              |                                                 |                                                  |                                                |                                                    |                                                         |                                        |                           |                    |                  |                       |          |             |                            |                    |                                             |                                    |                                       |                                                                        |                                                           |                      |                         |                         |                            |                             |
|------------------------------|-------------------------------------------------|--------------------------------------------------|------------------------------------------------|----------------------------------------------------|---------------------------------------------------------|----------------------------------------|---------------------------|--------------------|------------------|-----------------------|----------|-------------|----------------------------|--------------------|---------------------------------------------|------------------------------------|---------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------|----------------------|-------------------------|-------------------------|----------------------------|-----------------------------|
| MVP-5200i                    |                                                 |                                                  |                                                | •                                                  |                                                         | •                                      | •                         | ○                  | •                | •                     | •        | •           | •                          |                    |                                             |                                    |                                       | •                                                                      | ○                                                         | ○                    |                         | 128                     | 128                        |                             |
| MVP-8400                     |                                                 |                                                  |                                                | •                                                  |                                                         | •                                      | •                         | ○                  | •                | •                     | •        | •           | •                          |                    |                                             |                                    | •                                     | •                                                                      | ○                                                         | ○                    |                         | 64                      | 64                         |                             |
| MVP-8400i                    |                                                 |                                                  |                                                | •                                                  |                                                         | •                                      | •                         | ○                  | •                | •                     | •        | •           | •                          |                    |                                             |                                    | •                                     | •                                                                      | ○                                                         | ○                    |                         | 128                     | 128                        |                             |
| NXD-CV5                      |                                                 |                                                  |                                                | •                                                  | ○                                                       |                                        | •                         | •                  | •                | •                     | •        | •           | •                          | •                  |                                             |                                    |                                       |                                                                        | ○                                                         | ○                    |                         | 64                      | 64                         |                             |
| NXT-CV7                      |                                                 |                                                  |                                                | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  |                                             |                                    |                                       | ○                                                                      | ○                                                         |                      |                         | 64                      | 64                         |                             |
| NXD-700Vi                    |                                                 |                                                  |                                                | •                                                  | •                                                       | •                                      | •                         | •                  | •                | •                     | •        | •           | •                          | •                  |                                             |                                    |                                       | ○                                                                      | ○                                                         |                      |                         | 64                      | 128                        |                             |
| NXT-CV10                     |                                                 |                                                  |                                                | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  |                                             |                                    |                                       | ○                                                                      | ○                                                         |                      |                         | 64                      | 64                         |                             |
| NXT-CV10/PB                  |                                                 |                                                  |                                                | •                                                  | •                                                       |                                        | •                         | •                  | •                | •                     | •        | •           | •                          | •                  |                                             |                                    |                                       | ○                                                                      | ○                                                         |                      |                         | 64                      | 64                         |                             |
| NXD-1000Vi                   |                                                 |                                                  |                                                | •                                                  | •                                                       | •                                      | •                         | •                  | •                | •                     | •        | •           | •                          | •                  |                                             |                                    |                                       | ○                                                                      | ○                                                         |                      |                         | 64                      | 128                        |                             |
| NXT-1200V                    |                                                 |                                                  |                                                | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  | •                                           | ○                                  | ○                                     |                                                                        |                                                           |                      |                         | 256                     | 128                        |                             |
| NXD-1200V                    |                                                 |                                                  |                                                | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  | •                                           | ○                                  | ○                                     |                                                                        | ○                                                         | ○                    | ○                       | 256                     | 128                        |                             |
| NXT-1200VG                   | ○                                               |                                                  | •                                              | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  | •                                           | ○                                  | ○                                     |                                                                        |                                                           |                      |                         | 256                     | 128                        |                             |
| NXD-1200VG                   | ○                                               |                                                  | •                                              | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  | •                                           | ○                                  | ○                                     |                                                                        | ○                                                         | ○                    | ○                       | 256                     | 128                        |                             |
| NXT-1500VG                   | ○                                               |                                                  | •                                              | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  | •                                           | ○                                  | ○                                     |                                                                        |                                                           |                      |                         | 256                     | 128                        |                             |
| NXD-1500VG                   | ○                                               |                                                  | •                                              | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  | •                                           | ○                                  | ○                                     |                                                                        | ○                                                         | ○                    | ○                       | 256                     | 128                        |                             |
| NXT-1700VG                   | ○                                               |                                                  | •                                              | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  | •                                           | ○                                  | ○                                     |                                                                        |                                                           |                      |                         | 256                     | 128                        |                             |
| NXD-1700VG                   | ○                                               |                                                  | •                                              | •                                                  | •                                                       |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  | •                                           | ○                                  | ○                                     |                                                                        | ○                                                         | ○                    | ○                       | 256                     | 128                        |                             |
| TPI-PRO-2/4                  |                                                 | •                                                |                                                | •                                                  |                                                         |                                        | •                         | •                  |                  | •                     | •        | •           | •                          | •                  | •                                           |                                    |                                       |                                                                        |                                                           |                      |                         | 256                     | 128                        |                             |
| • = Standard<br>○ = Optional | Optional RGB kit for Component/RGB Connectivity | Component, Composite, S-Video & RGB Connectivity | Streaming Video Connectivity (MPEG2 and MPEG4) | Dynamic Images (1 fps) DynaMo (Motion JPEG, 15fps) | Analog Audio and Composite Video using NXA-AVB/Ethernet | VoIP Intercom with G.711 Voice Quality | MP3 and WAV file playback | USB Keyboard/Mouse | External Buttons | Computer Control      | TakeNote | Web Control | Resource Management Suite™ | 10/100 Ethernet    | 802.11g mini-PCI card with internal antenna | Network Security - WEP 64, WEP 128 | 802.11g CF card with internal antenna | Network Security - WEP, WPA, WPA2, EAP-TLS, EAP-TTLS, PEAP, LEAP, FAST | Network Security- WEP, WPA, WPA2, EAP-TLS, EAP-TTLS, PEAP | Optional Conduit Box | Optional Rack Mount Kit | Optional VESA Mount Kit | Standard SDRAM Memory (Mb) | Standard FLASH storage (Mb) |
|                              | Audio/Video Capabilities                        |                                                  |                                                |                                                    |                                                         |                                        |                           | User Input         |                  | Software Capabilities |          |             |                            | Control Interfaces |                                             |                                    |                                       |                                                                        | Mounting                                                  |                      |                         | Memory/FLASH            |                            |                             |



*IT'S YOUR WORLD. TAKE CONTROL.*

AUSTRALIA • BELGIUM • CANADA • CHINA • DUBAI • ENGLAND • FRANCE • GERMANY • GREECE • HONG KONG • INDIA • INDONESIA • ITALY • JAPAN  
LEBANON • MALAYSIA • NETHERLANDS • NEW ZEALAND • PHILIPPINES • PORTUGAL • RUSSIA • SINGAPORE • SPAIN • SWITZERLAND • THAILAND • TURKEY • USA  
ATLANTA • BOSTON • CHICAGO • CLEVELAND • DALLAS • DENVER • INDIANAPOLIS • LOS ANGELES • MINNEAPOLIS • PHILADELPHIA • PHOENIX • PORTLAND • SPOKANE • TAMPA  
3000 RESEARCH DRIVE, RICHARDSON, TX 75082 • 800.222.0193 • 469.624.8000 • +1.469.624.7400 • 469.624.7153 fax • [www.amx.com](http://www.amx.com)